


**APPENDIX BB**

**Suvaxyn<sup>®</sup> PRRS marketing materials**

# ANIMAL HEALTH SUVAXYN®



## LEADER IN HEALTH PROTECTION

# SUVAXYN PRRS

### Protects Pigs Against:

- Respiratory disease associated with Porcine Reproductive and Respiratory Syndrome (PRRS).
- Proven protection against the virulent ISU12 isolate.

### Description:


This modified live virus (MLV) vaccine effectively aids in the prevention of respiratory disease associated with PRRS. Suvaxyn PRRS is licensed with a full 6 months duration of immunity and administered as a single dose which can be given to pigs as early as 3 weeks of age.

### Directions:


Aseptically rehydrate with the accompanying diluent.  
Administer 2 mL intramuscularly (IM) or subcutaneously (SQ) to pigs three weeks of age or older.

### Presentation:


No 152177.....	50 doses (100 mL)
No 152174.....	25 doses (50 mL)
No 152175.....	10 doses (20 mL)



No 152177 .....50 doses (100mL)



No 152174 .....25 doses (50mL)



No 152175 .....10 doses (20mL)



FORT DODGE ANIMAL HEALTH  
1-800-685-5656

BEST AVAILABLE COPY



# Fort Dodge Animal Health Swine Biologicals Antigen chart

<i>Mycoplasma hyopneumoniae</i>	<i>Haemophilus parasuis serovar 4 + 5</i>	<i>Porcine reproductive and respiratory syndrome (PRRS)</i>	<i>Actinobacillus pleuropneumoniae serotypes 1, 5 + 7</i>	<i>Bordetella bronchiseptica</i>	<i>Pasteurella multocida and the toxins Type A + D</i>	<i>Erysipelothrix rhusiopathiae</i>	<i>Parvovirus</i>	<i>Leptospira canicola, grippityphosa, hardjo, icterohaemorrhagiae, pomona</i>	<i>Leptospira bratislava</i>	<i>Pseudorabies gpl<sup>-</sup></i>	<i>Pasteurella multocida Type A</i>	<i>Escherichia coli K99, K88, 987P, F41</i>	<i>Administration</i>
---------------------------------	---	---	---	----------------------------------	--	-------------------------------------	-------------------	--	------------------------------	-------------------------------------	-------------------------------------	---	-----------------------

<b>SUVAXYN® RespiFend® MH</b> 125 doses - 250 mL • 50 doses - 50 mL • 10 doses - 20 mL	◆												I.M.
<b>SUVAXYN® RespiFend® MH/HPS</b> 125 doses - 250 mL • 50 doses - 100 mL	◆	◆											I.M.
<b>SUVAXYN® RespiFend® HPS</b> 125 doses - 250 mL • 50 doses - 100 mL		◆											I.M.
<b>SUVAXYN® PRRS</b> 50 doses - 100 mL • 25 doses - 50 mL • 10 doses - 20 mL			◆										SUB Q I.M.
<b>SUVAXYN® RespiFend® APP</b> 50 doses - 100 mL				◆									I.M.
<b>SUVAXYN® AR/T/E</b> 50 doses - 100 mL • 10 doses - 20 mL					◆	◆	◆						SUB Q I.M.
<b>SUVAXYN® AR/T</b> 50 doses - 100 mL					◆	◆							SUB Q I.M.
<b>SUVAXYN® PLE</b> 35 doses - 105 mL • 10 doses - 30 mL						◆	◆	◆					I.M.
<b>SUVAXYN® PLE+B</b> 50 doses - 250 mL • 10 doses - 50 mL						◆	◆	◆	◆				I.M.
<b>SUVAXYN® LE+B</b> 50 doses - 100 mL						◆		◆	◆				I.M.
<b>SUVAXYN® GestaFend® 8</b> 10 doses - 30 mL						◆	◆	◆		◆			I.M.
<b>SUVAXYN® PLE+B/PRVgpl<sup>-</sup></b> 50 doses - 100 mL						◆	◆	◆	◆	◆			I.M.
<b>SUVAXYN® HerdFend®PRVgpl<sup>-</sup></b> 25 doses - 50 mL										◆			I.M.
<b>SUVAXYN® EC-4</b> 50 doses - 100 mL • 10 doses - 20 mL												◆	I.M.
<b>SUVAXYN® AR/E/EC-4</b> 35 doses - 105 mL • 10 doses - 30 mL					◆		◆				◆	◆	I.M.
<b>SUVAXYN® E</b> 50 doses - 100 mL							◆						SUB Q I.M.

NEW FROM FORT DODGE ANIMAL HEALTH

# SUVAXYN® PRRS

## SAFE


- Approved for use in PRRS negative herds.
- 100x dose studies resulted in **NO** clinical signs in Suvaxyn PRRS vaccinated pigs.<sup>1</sup>
- **NO** evidence of reversion to virulence was detected in back passage studies conducted in susceptible animals.<sup>2</sup>
- **99.94% REACTION FREE.** Following vaccination of **1,607** animals on 4 farms, there were **NO** severe local or systemic adverse reactions reported.<sup>3</sup>

## EFFICACIOUS


- **PROVEN** protection against even the virulent ISU12 isolate.
- **6 MONTHS** duration of immunity.

## CONVENIENT


- SubQ or IM administration.
- 10, 25 & 50 dose vials.



No 152177 .....50 doses (100mL)



No 152174 .....25 doses (50mL)



No 152175 .....10 doses (20mL)

From **SUVAXYN®** Your Partner in Health Protection



FORT DODGE ANIMAL HEALTH

1-800-555-5555

1 Data on file, Fort Dodge Animal Health.  
2 Data on file, Fort Dodge Animal Health.  
3 Data on file, Fort Dodge Animal Health.

BEST AVAILABLE COPY

# It's Time to Move Your Pigs up to "The House of Bricks" in PRRS Protection.

Introducing...

# SUVA XYN® PRRS

One vial vaccine  
One vial diluent

50 Doses  
Rehydrate to 100 mL

**Porcine Reproductive  
and Respiratory  
Syndrome Vaccine**

Respiratory Form, Modified Live Virus



**Suvaxyn® PRRS**

For Use In Swine  
For Veterinary Use Only

For the vaccination of healthy susceptible swine 3 weeks of age or older as an aid in the prevention of respiratory disease associated with porcine reproductive and respiratory syndrome (PRRS).

DOSE: Intramuscular injection with the accompanying sterile diluent. Swine, pigs and 2 wt. dose intramuscularly or subcutaneously using aseptic technique. The duration of immunity is at least six months.

CAUTION: Not for use in pregnant sows or to cause disease. Vaccination should not be used to prevent disease. Do not use in swine and any used in swine should be discarded at the end of the shelf life. Store in dark at 2° to 8°C (32° to 46°F). DO NOT FREEZE. SHAKE WELL. Use within seven days after opening. Do not use if the vaccine is cloudy, discolored, or contains foreign matter. Do not use if the vaccine is expired. Do not use if the vaccine is not sealed.

Fort Dodge Animal Health  
Fort Dodge, North Dakota 58505  
U.S. Pat. 4,800,000

BEST AVAILABLE COPY